

PUBLICATIONS (1992 – 2002)

1. *DC Conductivity and Peierls Instability in the Quasi-One-Dimensional Organic Charge-Density-Wave Conductor (Fluoranthene)₂X*
W. Brütting, W. Rieß, M. Schwoerer
Annalen der Physik **504** (1992) 409-422
2. *Peierls Instability and Charge-Density-Wave Transport in the Quasi-One-Dimensional Organic Conductor (Fluoranthene)₂X*
W. Rieß, W. Brütting, M. Schwoerer
Mol. Cryst. Liq. Cryst. **230** (1993) 89-94
3. *Charge Transport in the Quasi-One-Dimensional Organic Charge-Density-Wave Conductor (Fluoranthene)₂X*
W. Rieß, W. Brütting, M. Schwoerer
Synth. Met. **55-57** (1993) 2664-2669
4. *Microwave Conductivity of the Organic Charge-Density-Wave Conductor (Fluoranthene)₂X*
C. Hauenschild, H.W. Helberg, W. Rieß, W. Brütting, M. Schwoerer
Synth. Met. **55-57** (1993) 2635-2640
5. *CDW Instability in the 2:1 Organic Conductor (FA)₂PF₆*
V. Ilakovac, S. Ravy, J.P. Pouget, W. Rieß, W. Brütting, M. Schwoerer
J. Physique IV (Paris) **3** (1993) C2-137-140
6. *Charge-Density-Waves in Organic Conductors: (Fluoranthene)₂X as a Model System*
W. Rieß, W. Brütting
Phys. Scripta **T49** (1993) 721-726
7. *Analysis of the DC Conductivity of the Quasi-One-Dimensional Charge-Density-Wave Conductor (Fluoranthene)₂X*
P.H. Nguyen, G. Paasch, W. Brütting, W. Rieß
Phys. Rev. B **49** (1994) 5172-5181
8. *Electrocrystallization, Crystal Structure and Physical Properties of Hexaperylene-Hexafluorophosphate, (C₂₀H₁₀)₆⁺PF₆⁻*
W. Kuhs, G. Mattern, W. Brütting, H. Dragan, M. Burggraf, E. Dormann
Acta Cryst. B **50** (1994) 741-746
9. *Frequency Dependent Conductivity of the Quasi-One-Dimensional Organic Charge-Density-Wave Conductor (Fluoranthene)₂PF₆*
W. Brütting, G. Witt, A. Rötger, W. Rieß
Synth. Met. **70** (1995) 1303-1304
10. *Peierls Instability and Charge-Density-Wave Transport in Fluoranthene and Perylene Radical Cation Salts*
W. Brütting, W. Rieß
Acta Physica Polonica A **87** (1995) 785-790
11. *DC Conduction Mechanism and Peierls Gap in Organic and Inorganic Charge-Density-Wave Conductors*
W. Brütting, P.H. Nguyen, W. Rieß, G. Paasch
Phys. Rev. B **51** (1995) 9533-9543
12. *Analysis of the Structural and Electronic Properties of (Fluoranthene)₂PF₆ and its Surface Reconstruction*
K.S. Lee, D.-K. Seo, J. Ren, M.-H. Whangbo, S.N. Magonov, G. Bar, W. Brütting
Synth. Met. **80** (1996) 1-6
13. *Dielectric Spectroscopy on the Quasi-One-Dimensional Organic Charge Density Wave Conductor (Fluoranthene)₂PF₆*
C. Math, W. Brütting, W. Rieß
Europhys. Lett. **35** (1996) 221-226
14. *Charge Density Wave Transport in Quasi-One-Dimensional Semiconductors*
W. Brütting, W. Rieß, P.H. Nguyen, G. Paasch

- in M. Scheffler, R. Zimmermann (Eds.): *The Physics of Semiconductors* (Vol. 4), World Scientific, Singapore (1996), p. 3363-3366
15. *Charge Transport and Electroluminescence in PPV Mono- and Heterolayer Light Emitting Devices*
E. Buchwald, M. Meier, W. Brütting, W. Rieß, P. Strohrriegl, M. Schwoerer
in R.H. Mauch, H.-E. Gumlich (Eds.): *Inorganic and Organic Electroluminescence*, W&T Verlag, Berlin (1996), 117-120
 16. *Oxadiazole Containing Polymers and their Use in Polymer LED's*
J. Bettenhausen, R. Brütting, M. Greczmiel, P. Strohrriegl, E. Buchwald, M. Meier, W. Brütting, M. Schwoerer
in R.H. Mauch, H.-E. Gumlich (Eds.): *Inorganic and Organic Electroluminescence*, W&T Verlag, Berlin (1996), 239-242
 17. *Charge Carrier Injection and Transport in PPV Light Emitting Devices*
W. Brütting, E. Buchwald, G. Egerer, M. Meier, K. Zuleeg, M. Schwoerer
Synth. Met. **84** (1997) 677-678
 18. *Aromatic Polyethers with Oxadiazole Units - Synthesis and Application in Organic Light Emitting Diodes*
R. Brütting, P. Pösch, P. Strohrriegl, E. Buchwald, W. Brütting, M. Schwoerer
Macromol. Chem. Phys. **198** (1997) 2743-2757
 19. *Electron Transport in a Starburst Oxadiazole*
J. Bettenhausen, P. Strohrriegl, W. Brütting, H. Tokuhisa, T. Tsutsui
J. Appl. Phys. **82** (1997) 4957-4961
 20. *Polymethacrylates with Pendant Oxadiazole Units: Synthesis and Application in Organic LEDs*
M. Greczmiel, P. Strohrriegl, M. Meier, W. Brütting
Macromolecules **30** (1997) 6042-6046
 21. *Full Colour Electroluminescence Using Dye Dispersed Polymer Blends*
W. Brütting, S. Berleb, G. Egerer, M. Schwoerer, R. Wehrmann, A. Elschner
Synth. Met. **91** (1997) 325-327
 22. *Charge carrier mobility in poly(p-phenylenevinylene) studied by the time-of-flight technique*
E. Lebedev, Th. Dittrich, V. Petrova-Koch, S. Karg, W. Brütting
Appl. Phys. Lett. **71** (1997) 2686-2688
 23. *Glass transition from a slush to a real glass in the charge density wave compound TaS₃*
K. Biljakovic, D. Staresinic, K. Hosseini, W. Brütting, H. Berger, F. Levy
Physica B **244** (1998) 167-171
 24. *Doping in PPV Light-Emitting Devices Fabricated on Different Substrates*
W. Brütting, M. Meier, M. Herold, S. Karg, M. Schwoerer
Chem. Phys. **227** (1998) 243-252
 25. *Doping and Trap States in PPV Light-Emitting Devices*
E. Werner, M. Meier, J. Gmeiner, M. Herold, W. Brütting, M. Schwoerer
Optical Materials **9** (1998) 109-113
 26. *Effect of majority carrier space charges on minority carrier injection in dye doped polymer light-emitting devices*
S. Berleb, W. Brütting, M. Schwoerer, R. Wehrmann, A. Elschner
J. Appl. Phys. **83** (1998) 4403-4409
 27. *Charge carrier mobility in poly-(p-phenylenevinylene)*
W. Brütting, E. Lebedev, S. Karg, T. Dittrich, V. Petrova-Koch, M. Schwoerer
SPIE Vol. **3281** (1998) 257-265
 28. *Temperature dependent broad band impedance spectroscopy on poly-(p-phenylenevinylene) light-emitting diodes*
J. Scherbel, P.H. Nguyen, G. Paasch, W. Brütting, M. Schwoerer
J. Appl. Phys. **83** (1998) 5045-5055
 29. *Determination of trapping parameters in PPV light-emitting devices using thermally stimulated currents*
M. Meier, K. Zuleeg, S. Karg, W. Brütting, M. Schwoerer
J. Appl. Phys. **84** (1998) 87-92

30. *Phenylquinoxaline polymers and low molar mass glasses as electron transport materials in organic LEDs*
M. Jandke, P. Strohmriegel, S. Berleb, E. Werner, W. Brütting
Macromol. **31** (1998) 6434-6443
31. *Conduction and trapping in electroluminescent polymer devices*
A.J. Campbell, M.S. Weaver, D.G. Lidzey, D.D.C. Bradley, E. Werner, W. Brütting, M. Schwoerer
SPIE Vol. **3476** (1998) 98-110
32. *Photovoltaic effect in blend systems and heterostructures of poly(p-phenylenevinylene) and C₆₀*
K. Feldrapp, W. Brütting, M. Schwoerer, M. Brettreich, A. Hirsch
Synth. Met. **101** (1999) 156-157
33. *Anomalous current-voltage characteristics in organic light-emitting devices*
S. Berleb, W. Brütting, M. Schwoerer
Synth. Met. **102** (1999) 1034-1037
34. *Glass transition in CDW system o-TaS₃*
K. Biljakovic, D. Staresinic, K. Hosseini, W. Brütting
Synth. Met. **103** (1999) 2616-2619
35. *Charge carrier transport in poly(p-phenylenevinylene) light-emitting devices*
S. Forero, P.H. Nguyen, W. Brütting, M. Schwoerer
Phys. Chem. Chem. Phys. **1** (1999) 1769-76
36. *Electric-field-induced optical second-harmonic generation in poly(phenylenevinylene) light-emitting diodes*
R. Hildebrandt, H.M. Keller, G. Marowsky, W. Brütting, T. Fehn, M. Schwoerer, J.E. Sipe
Chem. Phys. **245** (1999) 341-344
37. *Glass-like behaviour in the CDW state of the quasi-one-dimensional conductor K_{0.3}MoO₃*
K. Hosseini, W. Brütting, M. Schwoerer, E. Riedel, S. van Smaalen, K. Biljakovic, D. Staresinic
J. Phys. IV (France) **9** (1999) Pr10-41
38. *Complex dielectric response of the CDW ground state in o-TaS₃*
D. Staresinic, K. Biljakovic, W. Brütting, K. Hosseini, S. Zaitsev-Zotov
J. Phys. IV (France) **9** (1999) Pr10-47
39. *Polarized electroluminescence from rubbing-aligned poly(p-phenylenevinylene)*
M. Jandke, P. Strohmriegel, J. Gmeiner, W. Brütting, M. Schwoerer
Adv. Mater. **11** (1999) 1518-1521
40. *Optical characterisation of chemically doped thin films of poly(phenylenevinylene)*
M. Tzolov, V. Petrova-Koch, W. Brütting, M. Schwoerer
Synth. Met. **109** (2000) 85-89
41. *Impedance spectroscopy of polymeric light-emitting devices based on different poly(p-phenylenevinylene) derivatives*
S. Forero, J. Gmeiner, W. Brütting, M. Schwoerer
Synth. Met. **111-112** (2000) 165-168
42. *Switching effect in poly(p-phenylenevinylene)*
E. Lebedev, S. Forero, W. Brütting, M. Schwoerer
Synth. Met. **111-112** (2000) 345-347
43. *Transient electroluminescence measurements on organic hetero layer light-emitting diodes*
A.G. Mückl, S. Berleb, W. Brütting, M. Schwoerer
Synth. Met. **111-112** (2000) 91-94
44. *Temperature dependent device characteristics of organic light-emitting devices*
S. Berleb, A.G. Mückl, W. Brütting, M. Schwoerer
Synth. Met. **111-112** (2000) 341-344
45. *Deep level transient spectroscopy (DLTS) of a poly(p-phenylene vinylene) Schottky diode*
A.J. Campbell, D.D.C. Bradley, E. Werner, W. Brütting
Synth. Met. **111-112** (2000) 273-276
46. *Kelvin probe investigations of metal work functions and correlation to device performance in organic light-emitting devices*

- T.A. Beierlein, W. Brütting, H. Riel, E.I. Haskal, P. Müller, W. Rieß
Synth. Met. **111-112** (2000) 295-297
47. *Influence of space charges on the current-voltage characteristics of organic light-emitting devices*
 H. Riel, W. Brütting, T.A. Beierlein, E.I. Haskal, P. Müller, W. Rieß
Synth. Met. **111-112** (2000) 303-306
 48. *Transient I-V-Characteristics of OLEDs with Deep Traps*
 S. Scheinert, G. Paasch, P.H. Nguyen, S. Berleb, W. Brütting
Proc. 30th ESSDERC, Editions Frontiers (2000) p. 444-447
 49. *Transient capacitance measurements of the transport and trap states distributions in a conjugated polymer*
 A.J. Campbell, D.D.C. Bradley, E. Werner, W. Brütting
Organic Electronics **1** (2000) 21-26
 50. *Interfacial charges and electric field distribution in organic hetero-layer light-emitting devices*
 S. Berleb, W. Brütting, G. Paasch
Organic Electronics **1** (2000) 41-47
 51. *Influence of trapped and interfacial charges in organic multi-layer light-emitting devices*
 W. Brütting, H. Riel, T. Beierlein, W. Rieß
J. Appl. Phys. **89** (2001) 1704-1712
 52. *Interfacial charges in organic hetero layer light emitting diodes probed by capacitance-voltage measurements*
 S. Berleb, W. Brütting, G. Paasch
Synth. Met. **122** (2001) 37-39
 53. *Subgap absorption in poly(p-phenylene vinylene)*
 M. Tzolov, W. Brütting, V. Petrova-Koch, J. Gmeiner, M. Schwoerer
Synth. Met. **122** (2001) 55-57
 54. *Space-charge limited conduction with a field and temperature dependent mobility in Alq light-emitting devices*
 W. Brütting, S. Berleb, A. Mückl
Synth. Met. **122** (2001) 99-104
 55. *Electroluminescent devices using a layered organic-inorganic perovskite structure*
 M. Cölle, W. Brütting, M. Schwoerer, M. Yahiro, T. Tsutsui
SPIE Vol. **4105** (2001) 328-337
 56. *Grading interfaces – A new concept to improve device performance in organic multilayer light-emitting diodes*
 H. Riel, S. Barth, T. Beierlein, W. Brütting, S. Karg, P. Müller, W. Rieß
SPIE Vol. **4105** (2001) 167-174
 57. *Device physics of organic light-emitting diodes based on molecular materials*
 W. Brütting, S. Berleb, A. Mückl
Organic Electronics **2** (2001) 1-36 (Invited Review Article)
 58. *A new crystalline phase of the electroluminescent material Alq₃ (tris-8-hydroxyquinolate-aluminium) exhibiting blue-shifted fluorescence*
 M. Braun, J. Gmeiner, M. Tzolov, M. Cölle, O. Wendland, F.D. Meyer, W. Milius, H. Hillebrecht, J.U. von Schütz, W. Brütting
J. Chem. Phys. **114** (2001) 9625-9632
 59. *Subgap absorption in tris(8-hydroxyquinoline)aluminium*
 M. Tzolov, W. Brütting, V. Petrova-Koch, A.G. Mückl, S. Berleb, J. Gmeiner, M. Schwoerer
Synth. Met. **119** (2001) 559-560
 60. *A very compact tunable solid state laser utilizing a thin film organic semiconductor*
 S. Riechel, U. Lemmer, J. Feldmann, S. Berleb, A.G. Mückl, W. Brütting, A. Gombert, V. Wittwer
Opt. Lett. **26** (2001) 593-595
 61. *Diffusion photovoltage in poly(p-phenylenevinylene)*
 V. Duzhko, T. Dittrich, B. Kamenev, V.Y. Timoshenko, W. Brütting
J. Appl. Phys. **89** (2001) 4410-4412

62. *Exciton diffusion and optical interference in organic donor-acceptor photovoltaic cells*
T. Stübinger, W. Brütting
J. Appl. Phys. **90** (2001) 3632-3641
63. *The influence of deep traps on transient current-voltage characteristics of organic light-emitting diodes*
P.H. Nguyen, S. Scheinert, S. Berleb, W. Brütting, G. Paasch
Organic Electronics **2** (2001) 105-120
64. *Photocurrent spectra of bilayers and blends of the organic donor-acceptor system CuPc/C₆₀*
T. Stübinger, W. Brütting
SPIE Vol. **4465** (2002) 102-112
65. *Red Electroluminescence from a 1,4-diketopyrrolo[3,4-c]pyrrole (DPP)-based conjugated polymer*
T. Beyerlein, B. Tieke, S. Forero-Lenger, W. Brütting
Synth. Met. **130** (2002) 115-119
66. *Picosecond amplified spontaneous emission bursts from a molecularly doped organic semiconductor*
C. Kallinger, S. Riechel, O. Holderer, U. Lemmer, J. Feldmann, S. Berleb, A.G. Mückl, W. Brütting
J. Appl. Phys. **91** (2002) 6367-6370
67. *Wide temperature range dielectric response of the charge density wave system TaS₃*
D. Staresinic, K. Biljakovic, W. Brütting, K. Hosseini, P. Monceau, H. Berger, F. Levy
Phys. Rev. B **65** (2002) 165109 (1-11)
68. *Glass transition in charge-density-wave systems o-TaS₃ and K_{0.30}MnO₃*
D. Staresinic, K. Biljakovic, W. Brütting, K. Hosseini, P. Monceau
J. de. Physique IV **12** (2002) 15-18
69. *The structure of the blue luminescent δ -phase of tris(8-hydroxyquinoline)aluminium(III) (Alq₃)*
M. Cölle, R.E. Dinnebier, W. Brütting
Chem. Commun. (2002) 2908-2909
70. *Dispersive electron transport in tris(8-hydroxyquinoline)aluminium (Alq₃) probed by impedance spectroscopy*
S. Berleb, W. Brütting
Phys. Rev. Lett. **89** (2002) 286601